


多樂士水性磁油 (高光及低光) Waterborne Enamel (Gloss & Eggshell)

環保低味 全效保護



高光 (Gloss) — 精選調色系列 Tinting Colour Series




40YY 83/086
Ophelia



10RB 35/167
Elevator



50BG 38/011
West Coast Grey



80YR 11/151
Otter Brook




40YY 67/087
Pillar



10RR 25/437
Vibrato



30BB 10/019
Noble Grey



30YY 08/082
Burnt Bark



30BG 64/072
Clear Sailing



10BB 13/362
Ships At Sea



30GY 40/029
Wexford Fog



40YY 64/903
Blazing Star



30GG 47/180
Mellow Meadows



10YY 21/500
Azteca




97GY 07/135
Olde Hunter




29YR 19/621
Shanghai



低光 (Eggshell) — 精選調色系列 Tinting Colour Series



45YY 83/062
Stowe White




30GY 76/017
N.B.C. White



77RR 67/177
Puppy Love



30GG 52/011
Frost Grey



40YY 83/086
Ophelia




40YY 75/216
Orion



19YR 13/558
Flaming Sword



50BG 38/011
West Coast Grey



45YY 83/094
Emily's Expression




10YY 72/172
Peachlight



41RB 24/309
Purple Passion



20YY 22/129
Hale Village



70GY 83/060
Tranquil



10YY 65/285
Manchester Morn



04BB 57/189
Tranquil Blue



10YY 11/187
Tall Trees



90GY 76/158
Elf Hat



45YY 65/710
Festival Yellow



70BG 24/380
Blue Streak



18YR 05/072
Espadrille



30GG 18/450
Racing Green



09YY 57/689
Harvest Flame

另備有白色 55467(高光)及55471(低光)。
有關產品及調色服務詳情，請向零售商查詢。

Available in a white colour 55467 (Gloss) and 55471 (Eggshell).
For more details about the product and tinting service, please consult retailers.

此漆板上的顏色是印刷技術所能印出最接近漆油的真實顏色。
由於攝影時的燈光及印刷技術的限制，相片中牆身的顏色會與漆油的真實顏色有別。
The colours on this card are closest to the actual paint colours as printing techniques allow.
All colours shown in photographs may vary from actual paint colours due to lighting and printing.

多樂士煥新妙法 Dulux Home Renewal Tips

1 專業調色系統 Professional tinting services

多樂士的調色系統可調校超過2,000隻電腦調色，包括紅、橙、黃、綠、藍、紫及中性色，深淺色俱備。詳情可瀏覽多樂士網站 www.dulux.com.hk 或向多樂士調色中心查詢。

Dulux professional tinting services offer a range of more than 2,000 paint colours. You can choose the colour based on your preference and needs. Visit www.dulux.com.hk or Dulux Colour Solution Centre for more product details and decorating suggestions.



2 色彩工具 Dulux Visualizer

使用多樂士嶄新的色彩應用程式「Dulux Visualizer」，直接通過屏幕為牆面上色，即時看到顏色在真實環境下的效果，選色更有信心！

Using the revolutionary “Dulux Visualizer” app, you can see realistic paint colours appear on your walls with just a tap of the screen. Select colours with confidence!



App Store
下載



Google Play
下載



3 多樂士一站式髹油服務 Dulux Painting Service

多樂士提供一站式全面的家居髹油服務，專業團隊用心為您打點整個服務流程，讓您輕鬆擁有一個煥然一新的家居。

Dulux provides a wall-to-wall overhaul for your home. You can enjoy a professional and safe yet hassle-free painting service easily.

✓ 專業團隊 Professional

經驗豐富的施工團隊，配合優質多樂士產品，令施工效果表現出色。
Experienced team paired with premium products ensure excellent workmanship.

✓ 簡易流程 Easy

過程包括評估、保護、髹油和清潔，快捷簡便。
4 simple steps - assessment, protection, painting and cleaning.

✓ 淨味安全 Safe

採用淨味環保乳膠漆及底漆，保障您和家人的健康。
Odourless eco-painting system, ensure a healthy living space.

✓ 省時稱心 Hassle-free

服務報價清晰，且工程準時竣工，讓您省時、放心。
Clear quotation with detail work schedule ensure on time completion.



立即致電2823 1618預約免費上門評估及報價。
Call us at 2823 1618 for a FREE onsite quotation.

環保低味 全效保護

多樂士水性磁油採用環保低味配方，為室內外木材及金屬表面提供全效保護。漆膜堅韌耐磨，遮蓋力強，防霉抗菌，加上快乾特性，令施工省時便捷，易於打造磁漆獨特的細膩觸感。

Low odour waterborne formulation with all round protection

Dulux Waterborne Enamel adopts low odour formulation that provides all round protection for wood or metal surfaces in both interior and exterior. It provides tough coats with strong opacity and fungus resistance; it also dries quickly to ensure high efficiency at work, helping you to bring out the best in enamel.

產品功能 Product functions:



① 環保低味 Low odour

水性環保配方，不論使用時或乾透後，皆不會出現難聞的漆油氣味。



② 漆膜堅韌耐磨 Tough coats

採用超耐磨樹脂，漆膜堅韌不易刮起，可耐洗擦30,000次以上。



③ 漆膜快乾 Quick drying

漆膜乾燥速度快，大幅縮短等候時間，施工更有效率。



④ 高效防霉抗菌 Excellent fungus & bacteria resistance

符合日本JIS防霉抗菌標準[^]，有效阻絕霉菌、細菌滋生。



⑤ 防鏽遮蓋力強 Anti-rust with strong opacity

漆膜附著性佳，含抗鏽成分，能輕鬆覆蓋底色，呈現飽和亮麗的漆油顏色。



⑥ 耐候性佳 Excellent weathering resistance

獨特抗UV色彩配方，通過QUV 1,000小時耐候測試[#]，可抵抗日曬雨淋，色彩保持亮麗。

[^] 通過日本JIS Z2911防霉檢定及JIS L1902抗菌檢定

[#] 通過ASTM G154 的耐候測試

[^] Passed Japanese International Standard: JIS Z2911 & JIS L1902[^]

[#] Passed ASTM G154 accelerated weathering test

本產品不添加鉛或水銀

This product contains no added lead or mercury

多樂士水性磁油(高光及低光)

Waterborne Enamel (Gloss & Eggshell)



高光 Gloss (A722)



低光 Eggshell (A721)

產品資料 Product Information

包裝

1 公升 / 3 公升

理論覆蓋度

- 8-10平方米/公升/層
- 建議塗層: 2層

(實際覆蓋度會因不同的施工方法及表面粗糙程度而有異)

用途

室內或室外的木材或金屬表面

Pack Size

1 litre / 3 litres

Theoretical coverage

- 8-10 square metres/ litre/ coat
- No of Coat Recommended: 2 coats

(Actual usage will be varied considerably depending on different application methods and the roughness of wall surfaces)

Typical Uses

Wood or metal surface in both interior and exterior

建議配套產品

Suggested Related Products

表面處理 Surface Preparation



填縫罅隙 Sealing Gaps

ICI Polycell 彈性填縫膠
ICI Polycell Polyfilla Decorators
Caulk

底漆(一層) Primer (1 coat)



木器底漆 Wood Primer

利登木器底漆 (水劑) (G101)
Glidden Primacoat Acrylic Wood
Primer Undercoat (Waterborne) (G101)



金屬底漆 Metal Primer

多樂士專業水溶性丙烯酸底漆 (4020)
Dulux Pro Devflex Waterborne Primer
(4020)