

# 多樂士水性磁油 (高光及低光) Waterborne Enamel (Gloss & Eggshell)

環保低味 全效保護







# 多樂士煥新妙法 Dulux Home Renewal Tips

## 1 專業調色系統 Professional tinting services

多樂士的調色系統可調校超過2,000隻電腦調色，包括紅、橙、黃、綠、藍、紫及中性色，深淺色俱備。詳情可瀏覽多樂士網站 [www.dulux.com.hk](http://www.dulux.com.hk) 或向多樂士調色中心查詢。

Dulux professional tinting services offer a range of more than 2,000 paint colours. You can choose the colour based on your preference and needs. Visit [www.dulux.com.hk](http://www.dulux.com.hk) or Dulux Colour Solution Centre for more product details and decorating suggestions.



## 2 色彩工具 Dulux Visualizer

使用多樂士嶄新的色彩應用程式「Dulux Visualizer」，直接通過屏幕為牆面上色，即時看到顏色在真實環境下的效果，選色更有信心！

Using the revolutionary “Dulux Visualizer” app, you can see realistic paint colours appear on your walls with just a tap of the screen. Select colours with confidence!



App Store  
下載



Google Play  
下載



## 3 多樂士一站式髹油服務 Dulux Painting Service

多樂士提供一站式全面的家居髹油服務，專業團隊用心為您打點整個服務流程，讓您輕鬆擁有一個煥然一新的家居。

Dulux provides a wall-to-wall overhaul for your home. You can enjoy a professional and safe yet hassle-free painting service easily.

### ✓ 專業團隊 Professional

經驗豐富的施工團隊，配合優質多樂士產品，令施工效果表現出色。  
Experienced team paired with premium products ensure excellent workmanship.

### ✓ 簡易流程 Easy

過程包括評估、保護、髹油和清潔，快捷簡便。  
4 simple steps - assessment, protection, painting and cleaning.

### ✓ 淨味安全 Safe

採用淨味環保乳膠漆及底漆，保障您和家人的健康。  
Odourless eco-painting system, ensure a healthy living space.

### ✓ 省時稱心 Hassle-free

服務報價清晰，且工程準時竣工，讓您省時、放心。  
Clear quotation with detail work schedule ensure on time completion.



立即致電2823 1618預約免費上門評估及報價。  
Call us at 2823 1618 for a FREE onsite quotation.

## 環保低味 全效保護

多樂士水性磁油採用環保低味配方，為室內外木材及金屬表面提供全效保護。漆膜堅韌耐磨，遮蓋力強，防霉抗菌，加上快乾特性，令施工省時便捷，易於打造磁漆獨特的細膩觸感。

### 環保低味 Low odour

水性環保配方，不論使用時或乾透後，皆不會出現難聞的漆油氣味。

### 漆膜堅韌耐磨 Tough coats

採用超耐磨樹脂，漆膜堅韌不易刮起，可耐洗擦30,000次以上。

### 漆膜快乾 Quick drying

漆膜乾燥速度快，大幅縮短等候時間，施工更有效率。

### 高效防霉抗菌 Excellent fungus & bacteria resistance

符合日本JIS防霉抗菌標準<sup>^</sup>，有效阻絕霉菌、細菌滋生。

### 防鏽遮蓋力強 Anti-rust with strong opacity

漆膜附著性佳，含抗鏽成分，能輕鬆覆蓋底色，呈現飽和亮麗的漆油顏色。

### 耐候性佳 Excellent weathering resistance

獨特抗UV色彩配方，通過QUV 1,000小時耐候測試<sup>#</sup>，可抵抗日曬雨淋，色彩保持亮麗。

<sup>^</sup> 通過日本JIS Z2911防霉檢定及JIS L1902抗菌檢定

<sup>#</sup> 通過ASTM G154 的耐候測試

<sup>^</sup> Passed 'Japanese International Standard: JIS Z2911 & JIS L1902'

<sup>#</sup> Passed ASTM G154 accelerated weathering test

# 多樂士水性磁油(高光及低光)

## Waterborne Enamel (Gloss & Eggshell)



高光 Gloss (A722)



低光 Eggshell (A721)

### 產品資料 Product Information

#### 包裝

1 公升 / 3 公升

#### 理論覆蓋度

- 8-10平方米/公升/層
- 建議塗層: 2層

(實際覆蓋度會因不同的施工方法及表面粗糙程度而有異)

#### 用途

室內或室外的木材或金屬表面

#### Pack Size

1 litre / 3 litres

#### Theoretical coverage

- 8-10 square metres/ litre/ coat
- No of Coat Recommended: 2 coats

(Actual usage will be varied considerably depending on different application methods and the roughness of wall surfaces)

#### Typical Uses

Wood or metal surface in both interior and exterior

## 建議配套產品

### Suggested Related Products

#### 表面處理 Surface Preparation



##### 填縫罅隙 Sealing Gaps

ICI Polycell 彈性填縫膠  
ICI Polycell Polyfilla Decorators  
Caulk

#### 底漆(一層) Primer (1 coat)



##### 木器底漆 Wood Primer

利登木器底漆 (水劑) (G101)  
Glidden Primecoat Acrylic Wood  
Primer Undercoat (Waterborne) (G101)



##### 金屬底漆 Metal Primer

多樂士專業水溶性丙烯酸底漆 (4020)  
Dulux Pro Devflex Waterborne Primer  
(4020)